

The Bolted Beam

A carriage bolt secured wood plate

Using steel in your builds has many benefits. High durability, moisture resistance, pest resistance, fire resistance, and a long lifespan. Steel is significantly stronger and less prone to warping, twisting or rotting compared to wood. Steel's inability to absorb moisture makes it an excellent choice for building long-lasting and stable homes.



Kozel Steel's crane trucks are designed to make your construction projects more efficient and hassle-free. With a robust 40-foot reach, our crane trucks excel at handling and positioning structural steel with precision and ease, minimizing downtime and streamlining the beam-setting process.

At Kozel Steel, we prioritize reliability and safety, offering expertly maintained crane trucks operated by skilled professionals who understand the importance of getting the job done right the first time. Choose Kozel Steel for a seamless construction experience that keeps your project on track and within budget.



Rochester 585-216-9334

Kozel 585-436-9807

Buffalo 716-685-1556

WHEN YOUR EQUIPMENT GOES DOWN...



**WE CAN HELP YOUR JOB
KEEP MOVING FORWARD.**



Buffalo
(716) 685-1556
Rochester
(585) 216-9334

- FAST TURNAROUND ON COMMON REPAIRS
- IN-HOUSE DIAGNOSTICS AND SERVICE
- SUPPORT FOR THE BRANDS YOU ALREADY USE
- ACCESS TO PARTS WITHOUT LONG DELAYS
- TWO SERVICE LOCATIONS

BULK & COLLATED SCREWS FOR ALL YOUR NEEDS



Summer 2026 Valid through May-July

Buffalo (716) 685-1556

Rochester (585) 216-9334



**DONT FALL BUT
IF YOU DO....**



Fall Protection. Precision Engineered.

FASTEN WITH CONFIDENCE

CUT LIKE A PRO
WITH NEW DIABLO
2-PACK... ONLY
\$21.95



x2



DURASPIN™

FIRESTOPPING YOU CAN TRUST WHEN

EVERYTHING IS ON THE LINE.

metacaulk





SENCO® DURASPIN™ Collated Fasteners



Wood to Wood

Coarse-thread screws designed for fast, secure fastening of drywall to wood studs. Sharp points ensure quick penetration, while bugle heads deliver a clean, professional finish.

- Typical Lengths: 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3"
- Drive Styles: #2 Phillips (Bugle Head, Sharp Point) REX Styles available

Underlayment


High-performance screws engineered for subfloor and underlayment installation. Designed to eliminate squeaks and provide superior holding strength.

- Typical Lengths: 1" – 1-1/4"
- Drive Styles: #2 Phillips (Trim Head + Nibs, Sharp) #2 Square (Trim Head, High-Low Thread)

Drywall to Wood

Coarse-thread screws designed for fastening interior drywall to wood studs. Sharp points allow fast penetration into wood substrates, while bugle heads are engineered to seat flush without tearing the paper face of drywall.


- Available Lengths: 1-1/4", 1-5/8", 2", 2-1/2"
- Drive Styles: #2 Phillips (Bugle Head, Sharp)



Metal to Light Steel

Self-drilling screws for fastening metal components together, including steel framing and sheet metal applications. Drill points are engineered for efficient penetration, while fine threads provide secure holding in metal substrates. Multiple drill point styles are available depending on material thickness.

- Available Lengths: 3/4", 7/8", 1"
- #2 Square, REX Flat Pan Head, T3, T4 Drill



Wood to Steel

Fastening wood components to heavy-gauge steel requires self-drilling screws designed for steel penetration. These screws are engineered with drill points capable of cutting through thicker steel while securely clamping wood materials in place.

- Available Lengths: 1-1/4", 1-5/8", 2", 3"
- #2 Phillips (Bugle Head, Drill Point) #2 Square / REX (Flat or Pan Head, Drill Point)



Gypsum to Steel

Self-drilling drywall screws engineered for fastening drywall or gypsum sheathing to heavy-gauge steel studs. Drill points eliminate the need for pre-drilling and are designed for high torque applications. Available in multiple finishes including zinc and phosphate depending on environment.


- Available Lengths: 1-1/4", 1-5/8", 2", 3"
- #2 Phillips (Bugle Head, Drill Point)



Wood to Light Steel

Sharp-point screws designed for fastening wood sheathing or panels to light-gauge steel framing. Threads are optimized to engage both materials while maintaining fast installation without pre-drilling.

- Available Lengths: 1-1/2"
- #2 Square (Flat Head, Sharp Point)



Wood to Joist

Exterior-rated screws for applications including decking, docks, fencing, siding, and roofing. Designed with corrosion-resistant coatings and Type 17 points to reduce splitting and improve drive performance in wood and composite materials. Stainless options available for maximum corrosion resistance.

- Available Lengths: 1-3/4", 2", 2-1/2", 3"
- #2 Square (Flat Head, Type 17)



Composite to Joist

Exterior-rated screws designed for fastening composite decking boards to wood joists. Type 17 points reduce splitting and eliminate the need for pre-drilling in most applications, while corrosion-resistant coatings ensure long-term durability in outdoor environments. Also suitable for treated lumber and traditional wood decking.

- Available Lengths: 1-3/4", 2", 2-1/2", 3"
- #2 Square (Flat Head, Type 17, stainless)

STOP OVERPAYING FOR FIRESTOP.


Metacaulk + Graco delivers the same UL-listed, code-compliant firestop as Hilti - without the premium price or restrictive system. You're getting identical inspection results with better production, more purchasing flexibility, and support that's actually built around the contractor, not a corporate model.

Ask us to quote your next job vs Hilti

Why contractors are switching to Metacaulk:

- 3 year shelf life
- Works in your current sprayer, even Hilti.
- Same performance, lower cost
- Buy only what you need, no forced volume
- Graco sprayers = faster, consistent installs
- We sell what we service. In-house, local repair service, no shipping tools out

Metacaulk 3"-6" pipe collars are a fast, no-measure solution for plastic pipe penetrations. Pre-sized with a simple lock design, they install quickly and expand under heat to seal the opening. UL-classified for up to 3-hour assemblies—straightforward, reliable performance without the added cost or hassle.



High-output sprayer designed to handle heavy materials like firestop

- Spray firestop materials like Metacaulk 1200 on long joint runs
- Increase speed, consistency, and overall production on large jobs



Firestop linear joints and gaps in rated assemblies

- Top-of-wall joints
- Head-of-wall joints
- Curtain wall perimeter joints
- Expansion and control joints



SAS is about controlling air and smoke movement, not firestop

- Around pipe and cable penetrations
- In walls, floors, and ceilings
- In non-rated or lightly rated assemblies where full firestop isn't required



Firestop caulk for sealing penetrations and small joints

- Seal around pipes, cables, and small openings
- Firestop construction joints and gaps
- Provide a flexible seal that handles movement
- 10oz, 29oz, 20.2oz, 5 gal



Protect electrical boxes and small penetrations in rated walls

- Around electrical boxes in drywall
- Back-to-back box protection
- Small gaps where flexibility is needed



Sausage/Bulk/Cartridge Smooth Rod

Project Type: Firestopping, Glazing & Fenestration, Waterproofing & Restoration, Concrete and Crack Repair & Masonry




metacaulk®

FIRESTOP SOLUTIONS



WHY CHOOSE metacaulk®



Professional Speed That Puts More Money in Your Pocket

DS532-AC DS534-AC

\$299.00

SUBFLOOR

Made Easy

Save your back. Stop the squeaks.

DS532-AC = Lower RPM (2500)
(Cement Board, Composite Decking, Steel Decking)

DS534-AC = higher RPM (4000)
(Drywall, Subfloor, Underlayment)

\$133.28 DS230-M1 + \$189 XFS03Z = \$133.28 DS230-D1 + \$85 DW255

Designed for Professional Results Every Time

\$488

The DS322-AC improves speed and efficiency with its auto-feed system, reducing downtime and effort. Built for comfort and consistent performance, it delivers accurate fastening with less fatigue, helping you stay productive on every job.



1000 ct Tub
4000 ct Box

Corded for All-Day Production

Drywall Sheathing Cement board Underlayment

Wood + dense materials Multi-purpose fastening

DURASPIN™

Speed -VS- Torque

\$268.83 DS245-AC

\$289.54 DS342-AC

- Up to 5,000 RPM
- Built for high-speed, repetitive work like drywall and sheathing
- Faster installs, less trigger time

- Up to 2,500 RPM (high torque)
- Built for driving into denser materials and more demanding fastening
- More power when material fights back

49-20-0001 \$89.95 + 2866-20/21/22 \$199

DCF6202 \$129 + DCF630 \$209

TOOL RANCH HAS SOLUTIONS FOR ALL MAJOR BRANDS



Compatibility Chart for SENCO Attachments

DEWALT	Milwaukee	Makita
<ul style="list-style-type: none"> • DS230-D1 • DCF624 • DW252 • DW253 • DW255 • DW257 • DW266 • DW272 • DW276 	<ul style="list-style-type: none"> • DCF6202 • DCF620 • DCF630 	<ul style="list-style-type: none"> • DS230-M1 • FS2200 • FS2500 • FS4200 • FS6200 • XSF03 • XSF04 • XSF05

MC150+ sausage tubes keep you compliant and moving

If you're running pipe, conduit, or cable through a rated wall or floor, you already know, this isn't optional. You need a firestop that's going to pass inspection the first time and keep your job moving. MC150+ is built for exactly that. It's a one-component, intumescent firestop sealant that expands when exposed to heat, sealing off openings to stop fire, smoke, and hot gases from spreading. It's not just caulk, it's what keeps your work compliant, your project on track, and your install done right the first time.

Key Benefits

- Code Compliance – Meets UL & ASTM firestop standards for inspections
- Fire + Smoke Barrier – Expands under heat to seal openings
- Multi-Trade Use – Works for plumbing, electrical, HVAC penetrations
- Flexible Seal – Handles building movement without cracking
- Water-Based / Easy Application – No mixing, non-sag, paintable



Simpson Quik Drive PRO300SM25K Decking System



This isn't just a decking gun, it's a system designed around specialty screws and real jobsite demands. The PRO300 is built to run everything from structural wood screws to cement board and steel connections, giving you consistent depth and clean installs across multiple materials. It's engineered for repetitive fastening where performance actually matters, so whether you're driving into dense hardwood, fastening to steel, or running specialty collated screws, you get speed without sacrificing holding power or precision.

Simpson Strong-Tie QuikDrive Steel Decking Attachment



Built for steel decking and specialty screws, this attachment delivers consistent depth and clean installs into metal. Ideal for high-volume, structural fastening where speed and reliability matter.

QuikDrive Screws – Applications

- Decking (wood and composite)
- Subfloor and underlayment
- Drywall to wood or steel
- Cement board / backer board
- Wood framing and sheathing
- Metal framing (light gauge steel)
- Fencing and siding

Types of QuikDrive Screws




- Deck screws (composite or wood-specific)
- Subfloor screws
- Drywall screws (coarse thread / fine thread)
- Cement board screws
- Self-drilling (TEK) screws
- Wood screws (structural / framing)
- Stainless steel screws
- Collated trim head screws

TOOL RANCH®

Bulk Screws

INTERCORP
STRONG-POINT
Get the Point. Strong-Point.

Small selection of what we carry and STOCK. Bulk and/or special orders available. Call us today!

 614C Bugle Head Coarse Thread <ul style="list-style-type: none"> Coarse thread #6 Sharp point Phosphate coating, zinc, W.A.R., stainless. Lengths: 3/4" - 6" 	 823C Bugle Head Coarse Thread <ul style="list-style-type: none"> Coarse thread #8 Sharp point Phosphate coating Lengths: 3/4" - 6" 	 614QC Bugle Head Coarse Thread <ul style="list-style-type: none"> Coarse thread #6 Sharp point Phosphate coating Lengths: 3/4" - 6" 	 1PT Trim Head Sharp Point <ul style="list-style-type: none"> Coarse thread #6 Sharp point Phosphate coating Lengths: 1" - 3" 	 1QT Trim Head Sharp point <ul style="list-style-type: none"> Coarse thread #6 Sharp point Phosphate coating Lengths: 1" - 3" 	 F6 Pan Head Framing screw <ul style="list-style-type: none"> Attaches metal track to metal studs #6-20, #7-20 threads #6, #7 Sharp point Phosphate coating 	 614HL Bugle Head Hi-Low Thread <ul style="list-style-type: none"> Steel studs Hi-Low threads #6, #8 Sharp point Phosphate coating Lengths: 1" - 3" 	 614 Bugle Head Fine Thread <ul style="list-style-type: none"> Steel Studs Fine threads #6, #7, #8 and #10 Sharp point Phosphate coating Lengths: 3/4" - 6"
 XT820W Star Drive Flat Head with Nibs <ul style="list-style-type: none"> Attaches wood to wood Coarse thread Type 17 point W.A.R. (weather and rust) Lengths: 1-1/4" - 6" 	 820QL Square Drive Flat Head <ul style="list-style-type: none"> Interior wood Coarse thread Plain Lengths: 3/4" - 3" 	 X816RWZ Square/Phillips Round Washer Head <ul style="list-style-type: none"> Interior wood Coarse thread Type 17 point Zinc plated #8 x 1" (pictured) Lengths: 1" - 3" 	 814CB Phillips Wafer Head with Nibs <ul style="list-style-type: none"> Cement board to wood Hi-Low thread Corrosion resistant #8-15 x 1-1/4" (pictured) Lengths: 1-1/4", 1-5/8", 2-1/4" 	 X109WC Phillips/Square Low Profile Wafer Head <ul style="list-style-type: none"> Panel clips to wood Coarse thread Strong-Shield coating for enhanced corrosion resistance 	 PG1016 Phillips/Square Low Profile Wafer Head <ul style="list-style-type: none"> Metal to wood (roofing, siding) Hi-Low thread Type 17 point Corrosion resistance Lengths: 1" - 3" 	 EA3 Acoustical Eye Lag <ul style="list-style-type: none"> Suspends acoustical ceiling components Coarse thread Plain finish Lengths: 2" - 5" 	
 H1C_DH Unslotted Indented Hex Washer Head <ul style="list-style-type: none"> Attaches metal to metal Corrosion resistance #1 Self driller Heavy duty 	 H1012C Unslotted Indented Hex Washer Head <ul style="list-style-type: none"> Attaches metal to metal Corrosion resistance #3 Self driller Lengths: 3/4" - 3" 	 H5_DH Unslotted Indented Hex Washer Head <ul style="list-style-type: none"> Attaches metal to metal #5 Self driller Lengths: 1/2" - 8" 	 M842_DH Phillips Modified Truss Head <ul style="list-style-type: none"> Attaches lath to metal or metal to metal Zinc plated for corrosion resistance #2 Self driller Lengths: 1/2" - 4" 	 H545C_DH Unslotted Indented Hex Washer Head <ul style="list-style-type: none"> Attaches metal to metal Corrosion resistance #5 Self driller Lengths: 1-1/4" - 8" 	 R200W_DH Phillips Flat Head Reamer with Wings <ul style="list-style-type: none"> Attaches wood to metal For PT lumber W.A.R. (water and rust) coating #3 Self driller Lengths: 2" - 4-3/4" 	 F109 Phillips Flat Head <ul style="list-style-type: none"> Attaches metal to metal #3 Self driller Lengths: 1/2" - 3" 	

Rubber washer option available Other lengths and sizes available

FALLTECH

Fall Protection. Precision Engineered.

FALL PROTECTION

<p>Standard</p>  7007 \$47.49 <ul style="list-style-type: none"> Standard 3-point harness Minimal adjustability Basic hardware, no padding Entry-level compliance, lowest cost 	<p>Good</p>  7010CLX \$129.79 <ul style="list-style-type: none"> Upgraded comfort (padding in shoulders/legs) Tongue buckle legs (more secure fit) Typically includes back D-ring + additional features Designed for frequent use 	<p>Better</p>  7021B \$186.00 <ul style="list-style-type: none"> Adds improved adjustability Better hardware (pass-through or mating buckles) More ergonomic fit than 7007 Solid everyday harness 	<p>Best</p>  8143B \$249.76 <ul style="list-style-type: none"> Premium comfort (full padding, breathable back pad) Quick-connect buckles Multiple D-rings (back, side, possibly front) Built for all-day wear and higher-end applications
--	---	---	---

 8366 Dorsal D-Ring Extender with Snap Hook \$46.63	 8256 ViewPack 6' Shock-Absorbing Lanyard \$59.23	 7150 50' Vertical Lifeline \$98.83
 7410 Hinged Reusable Roof Anchor \$38.64	 7479 Hinged Trailing Rope Adjuster \$105.84	 7395D Contractor Rotating SRL Anchor \$176.23

Self-Retracting Lifelines

 727630-30 30' Contractor Cable SRL \$483.30	 72706SB1 6' DuraTech Mini SRL (Single) \$192.36	 72706TB1 6' DuraTech Mini SRL (2-Leg) \$335.16
---	---	--

8' EdgeCore Leading Edge SRL (Single)


84108SP1
\$446.40

- Designed for sharp edge exposure
- More advanced braking + durability

Built for the toughest conditions, the EdgeCore SRL delivers Class 2 leading-edge protection with a lightweight, ergonomic design. Its Kevlar-reinforced lifeline and advanced braking system provide reliable performance around sharp edges while reducing weight and worker fatigue. Designed for smooth operation and all-day comfort, it's ideal for demanding jobs like steel and precast work.

 9504Z Mini Bucket Kit \$91.99	 8595A Roofer's Kit (Complete Fall Protection Kit) \$203.28
--	---

- Includes 7007 FT Basic® harness + 8259 shock-absorbing lanyard
- Entry-level PFAS kit for light-duty or occasional use
- Contractor full-body harness (7016)
- 50' vertical lifeline
- Shock-absorbing lanyard with rope grab
- Reusable roof anchor (7410)
- Comes packaged in a bucket for transport

CAMO

The Better Way to Build a Deck

IN STOCK


0345001
Marksmen pro 3/16" gap
\$54
 
0345002
Marksmen pro 1/16" gap

ClipDRIVE Stand-Up Tool for WEDGE Hidden Deck Clips

FAST + EASY

FASTEN CLIPS WHILE STANDING


0345065
\$139.99

Camo LEVER applies leverage to straighten warped boards and hold them tight against clips/joists so you can fasten them in place accurately.


03446595S
Camo LEVER Deck Board Bender
\$109
03446595S